



Technical specifications

- Made of aluminum
- NBR Board
- Standard DIN-14317 DIN-14318 NEN-6674
- Pressure 12 bar

NET PRICES STORZ ALUMINIUM FITTINGS



Storz hose link

REFERENCE	DIAMETER	G	PRICE
718503	Ø38	66mm	6.23
718504	Ø45	66mm	6.26
718505	Ø50	66mm	6.26
718509	Ø65	89mm	9.86
718506	Ø75	89mm	9.86
718507	Ø100	133mm	25.86
718508	Ø110	133mm	25.86

PURCHASE



Storz male thread link

REFERENCE	DIAMETER	G	PRICE
718603	1-1/2"	66mm	6.20
718605	2"	66mm	5.79
718608	2-1/2"	89mm	9.86
718609	3"	89mm	9.86
718610	4"	133mm	16.43

PURCHASE



Storz female thread link

REFERENCE	DIAMETER	G	PRICE
718704	1-1/2"	66mm	6.20
718706	2"	66mm	5.79
718709	2-1/2"	89mm	9.084
718710	3"	89mm	9.036
718711	4"	133mm	16.43

PURCHASE

Pol. Ind. Pi Gros I, naves 10-19
12005 Castellón de la Plana (España)

Tel. +34 964 340 794
WhatsApp/Tel. +34 665 78 36 90
Email info@disumtec.com


NET PRICES STORZ ALUMINIUM FITTINGS



Storz link plug

REFERENCE	DIAMETER	G	PRICE
718801	Ø38	66mm	8.25
718802	Ø45	66mm	8.25
718803	Ø50	66mm	8.25
718804	Ø65	89mm	11.07
718805	Ø75	89mm	11.07
718806	Ø100	133mm	19.70

 [PURCHASE](#)



Storz link reduction

REFERENCE	G	G1	PRICE
718901	89mm	66mm	18.90
718902	113mm	89mm	31.20

 [PURCHASE](#)