



Fiche technique

- Fabriqué en aluminium
- Joint NBR
- Pression 12 bar
- Norme DIN-14317, DIN-14318 NEN-6674

PRIX NETS RACCORDS STORZ.



Liaison de tuyau Storz

CODE	DIAMÈTRE	G	PRIX
718503	Ø38	66mm	6.23
718504	Ø45	66mm	6.26
718505	Ø50	66mm	6.26
718509	Ø65	89mm	9.86
718506	Ø75	89mm	9.86
718507	Ø100	133mm	25.86
718508	Ø110	133mm	25.86

[ACHETER](#)



Filetage mâle Storz link

CODE	DIAMÈTRE	G	PRIX
718603	1-1/2"	66mm	6.20
718605	2"	66mm	5.79
718608	2-1/2"	89mm	9.86
718609	3"	89mm	9.86
718610	4"	133mm	16.43

[ACHETER](#)



Filetage femelle Storz link

CODE	DIAMÈTRE	G	PRIX
718704	1-1/2"	66mm	6.20
718706	2"	66mm	5.79
718709	2-1/2"	89mm	9.084
718710	3"	89mm	9.036
718711	4"	133mm	16.43

[ACHETER](#)

Pol. Ind. Pi Gros I, naves 10-19
12005 Castellón de la Plana (España)

Tel. +34 964 340 794
WhatsApp/Tel. +34 665 78 36 90
Email info@disumtec.com


PRIX NETS RACCORDS STORZ.



CODE	DIAMÈTRE	G	PRIX
718801	Ø38	66mm	8.25
718802	Ø45	66mm	8.25
718803	Ø50	66mm	8.25
718804	Ø65	89mm	11.07
718805	Ø75	89mm	11.07
718806	Ø100	133mm	19.70

 ACHETER

Fiche de liaison Storz



CODE	G	G1	PRIX
718901	89mm	66mm	18.90
718902	113mm	89mm	31.20

 ACHETER

Réduction de liaison Storz